



**The original**

Low to medium viscosity quality applicators for 310 & 400ml cartridges and 600ml sachets

Specially designed by PC Cox the world's leading manufacturer of sealant applicators. The Midiflow range of manual applicators is placed between the Cox skeleton and professional applicator ranges.

# Midiflow™



- Smooth trigger operation
- Cox branding for assured quality
- Ergonomically designed handle
- Made in the UK
- Economically priced

# COX FOR DIY & SEMI-PROFESSIONAL USERS

DIY & semi-professional users require consistently reliable use from their tools. COX exceeds this requirement, providing unsurpassed quality, with cost effective sealant cartridge applicators, perfect for the DIY & semi-professional user.

ROBUST DESIGN  
and ROBUST CONSTRUCTION

# Midiflow™

## THE MIDIFLOW RANGE

Midiflow offers the same high standards as all Cox applicators and represents excellent value for money.

### AVAILABLE IN 2 VERSIONS:

- Midiflow Cartridge for 310ml and 400ml cartridges
- Midiflow Combi for 600ml sachets and cartridges with quick change plunger system

#### Production benefits across the range:


Lightweight and easy to use with new high strength engineering polymer trigger assembly

Unique Cox wear compensation sleeve to reduce wear and extend product life

Built to a high quality but with a budget price, for when high power is not needed

10:1 trigger ratio for low-medium viscosity products

Designed and Manufactured in England



New designed light weight trigger assembly




Wear compensation sleeve



Cox branding for assured quality





## Midiflow Cartridge

Midiflow Cartridge available for 310ml and 400ml cartridges.


Based around the highly successful professional applicator for cartridges, the Midiflow is a lightweight version of the Powerflow Cartridge, offering high quality but with reduced power for use with lower viscosity sealants.



## Midiflow™ CARTRIDGE

For quality performance,  
long life and value


- Metal frame
- Engineered polymer trigger assembly



310ml 10:1  
400ml

## Midiflow Combi for Sachets and Cartridges

Midiflow Combi is designed for 600ml sachets, 310ml and 400ml cartridges and is a fully interchangeable applicator allowing the user complete flexibility between sealant systems. Using a plastic barrel combined with the new trigger assembly, this product offers considerable weight saving over the Powerflow Combi applicator and its lower thrust pressure offers high productivity for low to medium viscosity sealants.



## Midiflow™ COMBI

For quality performance,  
flexibility, long life and value

- Lightweight ABS barrel
- Engineered polymer trigger assembly



310ml 600ml 10:1  
400ml

Swapping between sachet and cartridge use is easy, see our online video instruction:  
[www.youtube.com/PCCoxAcademy](http://www.youtube.com/PCCoxAcademy)



# Midiflow™

## PRODUCT RANGE

### Midiflow Mid-range manual applicator without compromise

Midiflow™ CARTRIDGE	TYPICAL USES: SEALANT ADHESIVE	Midiflow™ COMBI	TYPICAL USES: SEALANT ADHESIVE
COX Viscositor™ - [Progress bar] +		COX Viscositor™ - [Progress bar] +	
COX TriggerPower™ [Progress bar] 10:1 25:1		COX TriggerPower™ [Progress bar] 10:1 25:1	
218/258mm 51 mm [Progress bar] 310/400ml		218/258mm 51 mm [Progress bar] 600ml	
560g (310ml) 607g (400ml) CARTRIDGE		584g (600ml) SACHET CARTRIDGE	



Spare parts and conversion kit changing from cartridge to sachet use available. Please contact us for details.

### Cox have over 90 models of applicators.

Ask for our latest Single or full Dual Component brochures or visit our website:  
[www.pccox.co.uk](http://www.pccox.co.uk)



### World leading consumer support

Cox have invested in a library of online tutorial videos to ensure your customers know how to use our products to their best, reducing usage related queries minimising your need for customer support.

[www.pccox.co.uk](http://www.pccox.co.uk)  
[www.youtube.com/PCoxAcademy](http://www.youtube.com/PCoxAcademy)



PC Cox Ltd., Turnpike Road, Newbury, Berkshire, RG14 2LR  
T Sales +44 (0) 1635 264500 F +44 (0) 1635 264555  
E [sales@pccox.co.uk](mailto:sales@pccox.co.uk)  
[www.pccox.co.uk](http://www.pccox.co.uk)

©PC Cox 2012 Cox and Midiflow are trademarks of PC Cox Ltd.  
Every effort has been made to ensure that the information contained in this leaflet was correct at the time of going to press. However, the company retains the right to change any specification without notice, in line with the company's policy of continual product development.

200812-Midiflow-v9

# COX®

## The original

